

Aflatoxin Contamination of *Arachis hypogaea* (Groundnuts) in Lagos Area of Nigeria

Bulletin of Environmental Contamination and Toxicology
July 2003, Volume 71, Issue 1, pp 0042-0045

A. E. Thomas, H. A. B. Coker, O. A. Odukoya, G. K. Isamah, A. Adepoju-Bello

DOI (Digital Object Identifier): 10.1007/s00128-003-0128-8

Cite this article as:

Thomas, A., Coker, H., Odukoya, O. et al. Bull. Environ. Contam. Toxicol. (2003)
71: 0042. doi:10.1007/s00128-003-0128-8

1

Citations

Received: 14 May 2001/Accepted: 12 April 2003

Copyright information

© Springer-Verlag New York Inc. 2003

About this article

Print ISSN	Online ISSN	Publisher Name
0007-4861	1432-0800	Springer-Verlag


[About this journal](#)

[Reprints and Permissions](#)

SPRINGER NATURE

© 2016 Springer International Publishing. Part of Springer Nature.

Not logged in · Not affiliated · 105.112.34.200



Bulletin of Environmental Contamination and Toxicology

All Volumes & Issues

ISSN: 0007-4861 (Print) 1432-0800 (Online)

In this issue (32 articles)

1.

Article

Passive Exposure to Tobacco Smoke: Hair Nicotine Levels in Preschool Children

N. Kalinić, Lj. Skender, V. Karačić... Pages 0001-0005

2.

Article

Evaluation of a Cold-Water Hand-Washing Regimen in Removing Carbaryl Residues from Contaminated Fabrics

T. A. Phillips, J.B. Belden, M. Stroud... Pages 0006-0010

3.

Article

Airborne Exposure to Lead During Remediation and Cleaning of a Gun Range and Cutting of Lead Plates

J. H. Lange, K. W. Thomulka, G. Mastrangelo... Pages 0011-0013

4.

Article

Application of an Enzyme-Linked Immunosorbent Assay (ELISA) to Determine Deltamethrin Residues in Milk

H.-J. Lee, T. Watanabe, S. J. Gee... Pages 0014-0020

5.

Article

Toxicity Assessment of a Former Manufactured Gas Plant

A. S. Ferguson, R. Doherty, M. J. Larkin... Pages 0021-0030

6.

Article

Per fluorooctane Sulfonate Contamination of Drinking Water in the Tama River, Japan: Estimated Effects on Resident Serum Levels

K. Harada, N. Saito, K. Sasaki, K. Inoue... Pages 0031-0036

7.

Article

Effects of Carbaryl-Treated Bait on Maternal Behavior and Sprint Performance in the Meadow Jumping Mouse, *Zapus hudsonius*

F. Punzo Pages 0037-0041

8.

Article

Aflatoxin Contamination of *Arachis hypogaea* (Groundnuts) in Lagos Area of Nigeria

A. E. Thomas, H. A. B. Coker, O. A. Odukoya... Pages 0042-0045

9.

Article

Dissolved Nickel and Benthic Flux in South San

Francisco Bay: A Potential for Natural Sources to Dominate

B. R. Topping, J. S. Kuwabara Pages 0046-0051

10.

Article

Heavy Metal Distribution in Surface Sediments from a Subtropical Coastal Lagoon System Associated with an Agricultural Basin

C. Green-Ruiz, F. Páez-Osuna Pages 0052-0059

11.

Article

Impact of Draining of Iraqi Marshes on Sediment Quality of Kuwait's Northern Marine Area

M. U. Beg, A. N. Al-Ghadban Pages 0060-0067

12.

Article

Acute Toxicity of Copper, Zinc, Iron, and Manganese and of the Mixtures Copper-Zinc and Iron-Manganese to Whiteleg Shrimp *Litopenaeus vannamei* Postlarvae

M. G. Frías-Espericueta, D. Voltolina... Pages 0068-0074

13.

Article

Uptake and Elimination of Trace Metals in Shells of Abalones *Haliotis* spp.

T. Arai, M. Maeda, H. Yamakawa, A. Kamatani... Pages 0075-0082

14.

Article

Subcellular Distribution of Naturally Elevated Cadmium in the Antarctic Clam *Laternula elliptica*

H.J. Choi, I.-Y. Ahn, K.-W. Kim, H.-A. Kim ... Pages 0083-0089

15.

Article

Bioaccumulation of Lead, Cadmium, and Lindane in Zebra Mussels (*Dreissena polymorpha*) and Associated Risk for Bioconcentration in Tufted Duck (*Aythya fuligula*)

P. J. Berny, A. Veniat, M. Mazallon Pages 0090-0097

16.

Article

Cadmium-Binding Peptide in Whole Cells of *Acetabularia calyculus*

E. Garcia, R. Salazar Pages 0098-0105

17.

Article

Effects of Cypermethrin on the Freshwater Crab *Trichodactylus borellianus* (Crustacea: Decapoda: *Braquiura*)

W. Verónica, P.A. Collins Pages 0106-0113

18.

Article

Role of Intracellular Ca^{2+} , Reactive Oxygen Species, Mitochondria Transmembrane Potential, and Antioxidant Enzymes in Heavy Metal-Induced Apoptosis

in Fish Cells

L. X. Xiang, J. Z. Shao Pages 0114-0122

19.

Article

**Contamination of Two Edible Agaricus spp. Mushrooms
Growing in a Town with Cadmium, Lead, and Mercury**

L. Svoboda, P. Kalač Pages 0123-0130

20.

Article

Thallium Content in Zagreb Air

J. Hršak, A. Škrbec, I. Balagović, K. Šega Pages 0131-0134

Support

Aflatoxin Contamination of *Arachis hypogaea* (Groundnuts) in Lagos Area of Nigeria

A. E. Thomas,¹ H. A. B. Coker,¹ O. A. Odukoya,² G. K. Isamah,³
A. Adepoju-Bello¹

¹ Department of Pharmaceutical Chemistry, School of Pharmacy, College of Medicine, University of Lagos, Idi-Araba, Lagos, Nigeria

² Department of Pharmacognosy, School of Pharmacy, College of Medicine, University of Lagos, Idi-Araba, Lagos, Nigeria

³ Department of Biochemistry, Delta State University, Abraka, Delta State, Nigeria

Received: 14 May 2001/Accepted: 12 April 2003

Human populations are exposed to aflatoxins as a result of the consumption of commodities (particularly grains and nuts) that have been directly contaminated by the aflatoxin producing strains of *Aspergillus flavus* and *Aspergillus parasiticus* during growth, harvest or storage (Busby and Wogan 1984).

The occurrence and magnitude of aflatoxins contamination varies also with geographical and seasonal factors. Crops in tropical and subtropical areas are more susceptible to contamination than those in temperate regions, since optimal conditions for toxin formation are prevalent in areas with high humidity and temperature (Diener and Davis 1969).

Grains and food stuffs capable of being contaminated with aflatoxins have been reported by Busby and Wogan and the level of contamination can vary from less than 1ppb to over 12ppb. In Nigeria, grains like groundnuts (*Arachis hypogaea*) have become a staple food among the populace and there is need to consider the sporadic nature of the infestation of these nuts.

In this study, the level of aflatoxin contamination of groundnuts (roasted, steamed and raw), was evaluated, using ultraviolet-visible spectrophotometric and high performance liquid chromatographic methods.

MATERIALS AND METHODS.

Roasted, steamed (boiled) and raw groundnuts were obtained separately from different locations within Lagos State of Nigeria. The groundnuts samples for this study were weighed (2Kg each), well ground at high speed for 10 minutes in 100g batches into fine powder form with an electric blender. 3 replicas of each was made. All the reagents used were the best available and were of analytical grade.

The extraction method of Hetmanski and Scudamore (1989) was adopted. This involved mixing 50g of the portion of the well-mixed, finely ground samples with 200ml of a mixture of water and dichloromethane (1:10) in 250ml flask. Mechanical shaking was applied for 30 minutes. This was filtered and the residue was rinsed with 3 portions of dichloromethane. The combined filtrate was evaporated to dryness and reconstituted with 5ml of

Correspondence to: O. A. Odukoya

dichloromethane. 2.5ml of hexane was added and made up to 10ml volume with dichloromethane. The extract was cleaned-up by adsorption chromatography whereby the column was packed with silica gel and alumina. The eluting solvents (dichloromethane and hexane) passed through the column and eluent was collected. This was concentrated to dryness and reconstituted with acetonitrile and water.

Spectrophotometric determination of aflatoxin was carried out with a modified method of Scott (1990). UV absorption was read at 360nm against acetonitrile and water as blank and the concentration calculated from the calibration procedure of Scott (1990).

A modified method of Rainer et al. (1993) was used for the analysis of aflatoxin. The aflatoxin extract was reconstituted in acetonitrile: water (1:1) mixture. Peaks were quantified using peak height by reference to a set of standards, diluting if necessary with (1:1) acetonitrile: water.

The mean and standard error of mean (SEM) were analyzed according to the procedure outlined by Bailey (1981). For statistical analysis, comparisons were made with student "t" test and the level of statistical significance was set at $P < 0.05$.

Table 1. Total aflatoxin content (ppm) of peanuts by spectrophotometry.

Peanuts	Total Aflatoxin in *D/W Extract \pm SEM
Roasted	23.29 \pm 0.10
Boiled	30.74 \pm 0.04
Raw	42.24 \pm 0.09

*D/W = Dichloromethane/Water (10:1)

Results are expressed as mean and standard error of mean of 3 samples.

RESULTS AND DISCUSSION.

Cereals such as peanuts, groundnuts, have been universally acclaimed as harbingers of aflatoxins. The aflatoxin level in the samples has been shown in Tables 1 and 2. It should be noted that these values were determined on groundnuts that were yet to be graded. The raw groundnuts showed highest aflatoxin level. Roasted groundnuts, are usually soaked in salt water overnight before roasting and this may result in some degree of extraction of some of the aflatoxins. Soaking encouraged fungal growth. Boiled groundnuts showed level between that of raw and roasted.

Thus it could be seen that the high contamination values obtained is a cause for concern

Table 2. Total aflatoxin content (ppm) of peanuts by high performance liquid chromatography.

Peanuts	Total Aflatoxin \pm SEM	
	M/W Extract	*A/W Extract
Roasted	61.24 \pm 0.67	47.04 \pm 0.42
Boiled	54.83 \pm 0.51	53.76 \pm 0.27
Raw	62.16 \pm 0.83	64.52 \pm 0.65

M/W = Methanol/Water (3:1) *A/W= Acetonitrile/Water (3:1)

considering the fact that the aflatoxin action level stipulated by the FDA of the USA is 20 parts per billion (ppb) as indicated by Cole and Dorner 1994 while values as high as 30 parts per million (ppm) have been reported in some countries like Kenya (Peers and Linsell 1973). These high values reflect the fact that conditions in the tropics tend to encourage the fungal proliferation, such conditions as high humidity, high temperature as well as poor storage facilities have been strongly implicated.

Investigations in Nigeria have suggested the possible availability of mycotoxins especially aflatoxins in many food items (Nwokolo and Okonkwo 1978). It is possible that the consumption of such aflatoxin contaminated products is responsible for the presence of this toxin in the body fluids of individuals in Africa (Onyemelukwe and Ogbadu 1981; Ibeh et al. 1994).

From our experiments, it can be deduced that roasting of groundnuts reduces but does not eliminate aflatoxin contamination and cooking of food may not cause aflatoxin destruction. It is recommended that exposure of the general population to the aflatoxin contamination in the food should not exceed the guidance values given by health authorities.

REFERENCES.

- Agthe C, Lijinsky W, Oremusu D (1968) Determination of aflatoxins in food by absorption spectrophotometry. *Food Cosmet Toxicol* 6: 627 –631.
- Bailey NTJ (1981) *Statistical methods in biology*. Hodder and Stoughton London.
- Busby WF, Wogan GN (1984) Chemical carcinogens. In: Seale CE (ed) *American Chemical Society*. Washington DC, p 945 –1136.
- Cole RJ, Dorner JW (1994) Extraction of aflatoxins from naturally contaminated peanuts

- with different solvents and solvent/peanut ratios. *J Assoc Anal Chem Int* 77: 1509–1511.
- Diener UJ, Davis NO (1969) Production of aflatoxins on peanuts under controlled environments. *J Stored Prod Res*, 5: 251–258.
- Hetmanski MT, Scudamore KA (1989) A simple quantitative HPLC method for the determination of aflatoxins in cereals and animal feed-stuffs using gel permeation chromatography clean-up. *Food Add Contam* 6: 35–48.
- Ibeh IN, Uriah N, Ogonor JI (1994) Dietary exposure to aflatoxin and human male infertility in Benin city, Nigeria. *Int J Fertil Menopausal Stud*, 39: 208–214.
- Nwokolo C, Okonkwo P (1978) Aflatoxin load of common food in savannah and forest regions in Nigeria. *Trop Med Hyg* 74: 329–332.
- Onyemelukwe GC, Ogbadu GH (1981) Aflatoxin levels in sera of healthy first time rural blood donors. Preliminary report. *Trans R Soc Trop Med Hyg* 75: 80–82.
- Peers FG, Linsell CA (1973) Dietary aflatoxins and liver cancer—A population based study in Kenya. *British J Can* 27: 473–484.
- Rainer S, Gerhard M, Michael R (1993) Analysis of mycotoxins by HPLC with automated confirmation by spectral library. Hewlett Packard Co. Germany, p 1–13.
- Scott PM (1990) Natural Poisons. In: *Assoc Anal Chem Int Official Method of Analysis*, American Chem Soc, Washington DC, p 1184–1192.